

65331-5

9/2/2014

1/11

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460



OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 2, 2014

Ms. Cassie Alexander
Associate Manager, Regulatory Affairs
Merial Limited
3239 Satellite Boulevard, Building 500
Duluth, GA 30096-4640

Subject: Label Notification per PRN 98-10 – Addition of Product Authentication Sticker
Product Name: FRONTLINE® Plus For Dogs
EPA Registration Number: 65331-5
Application Date: August 8, 2014
Decision Number: 494214

Dear Ms. Alexander:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions about this letter, please contact Mr. Carmen J. Rodia, Jr. at (703) 306-0327 or via e-mail at Rodia.Carmen@epa.gov.

Sincerely,

A handwritten signature in cursive script, reading "Richard J. Gebken".

Richard Gebken
Product Manager 10
Insecticide Branch
Office of Pesticide Programs
Date: September 2, 2014

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-



United States
Environmental Protection Agency
Washington, DC 20460

☐ Registration
☐ Amendment
☒ Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Merial Limited/65331-5	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Frontline Plus For Dogs	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Merial Limited 3239 Satellite Blvd., Bld. 500 Duluth, GA 30096 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Facsimile Labeling including product authentication sticker.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III


1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> Text No		<input checked="" type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted		If "Yes" Unit Packaging wgt. 6 oz.	No. per container 1, 3 and 6	If "Yes" Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 0.023, 0.045, 0.091 and 0.136 fl. oz.		5. Location of Label Directions <input type="checkbox"/> On Label <input checked="" type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input checked="" type="checkbox"/> Other Printed	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Cassie Alexander	Title Associate Manager, RA N.America	Telephone No. (Include Area Code) 678-638-3753
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Cassie Alexander</i>	3. Title Associate Manager, RA N.America	
4. Typed Name Cassie Alexander	5. Date August 8, 2014	

3/11

Cassie Alexander
Associate Manager
Regulatory Affairs North America
Tel: 678-638-3753
Fax: 678-638-3707



August 8, 2014

Mr. Richard Gebken
Project Manager, Registration Division
Office of Pesticide Programs (7505P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501

3239 Satellite Blvd
Atlanta, GA 30096
Tel: 678.638.3000

SUBJECT: FRONTLINE® Plus for Cats, EPA Reg. No. 65331-4
FRONTLINE® Plus for Dogs, EPA Reg. No. 65331-5

RE: Submission of Labeling Notification for inclusion of a product authentication sticker


Mr. Gebken:

Merial Limited (Merial) hereby provides a notification with facsimile labeling for the aforementioned Frontline products to provide for the inclusion of a product authentication sticker to the back panel of the product carton. Use of the sticker provides a noticeable marking that demonstrates authenticity of Merial product. No other labeling changes have been made.

Please find enclosed amended facsimile labeling in Attachments 1 and 2. Actual carton samples with the product authentication sticker attached is provided in Attachment 3 so that you can see the holographic nature of the sticker.

If you have any questions regarding this submission or require any additional information, please do not hesitate to contact me by phone at 678-638-3753 or by email at Cassie.Alexander@merial.com.

Sincerely,


Cassie Alexander
Associate Manager
Merial Limited
Regulatory Affairs NA

Enclosures: EPA Form 8570-1 for each product
Attachment 1: One copy of facsimile labeling for Frontline Plus for Cats, EPA Reg. No. 65331-4
Attachment 2: One copy of facsimile labeling for Frontline Plus for Dogs, EPA Reg. No. 65331-5
Attachment 3: Two original cartons with original sticker
Frontline Plus for Cats, EPA Reg. No. 65331-4
Frontline Plus for Dogs, EPA Reg. No. 65331-5

4/11

NOTIFICATION

SEP 02 2014

NOTIFICATION

SEP 02 2014

Signature numérique de
SÉNÉL Industrie Animale
DN: cn=FA, o=SÉNÉL Industrie Animale,
c=FR, ou=SÉNÉL Industrie Animale
Date: 2014.03.27 09:54:35
+01'00'



How to Apply **FRONTLINE[®]** *Plus* FOR DOGS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?

Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com

053 906830



Technical area :
No print except prod. barcode

FRONTLINE[®] *Plus* FOR DOGS

Kills fleas, flea eggs & larvae,
ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof


ACTIVE INGREDIENTS:
Fipronil: 9.8%
(S)-methoprene: 8.8%
INERT INGREDIENTS: 81.4%
TOTAL: 100%
NET CONTENTS: 1-0.023 fl oz (0.67 mL) applicator
1 monthly dose

Kills ticks, including those that may
transmit Lyme disease

For use **ONLY** on
DOGS & PUPPIES
8 Weeks or Older
and **5 to 22 lbs**

EPA Reg. No. 65331-5
EPA Est. 65331-FR-2
MADE IN FRANCE

See inside panels for **FIRST AID**
and **PRECAUTIONARY**
statements.



MERIAL GRAPHIC ARTWORK APPROVAL

Code: **053 906830**

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS S
RECTO

COUNTRY: United States of America (USA)

Dimensions:
mm = 176 x 112 - Plée 88 x 112
Inches =

VERSION:

INITIALS:
LYON SJ AJ NSE
VERSION - DATE:
A 17/07/13 16h20 B 22/07/13 14h29
C 08/08/13 COMPOSER RH 11h00

CANCEL AND
REPLACE: 053 906007

COLORS:

Black/Noir Cyan
Magenta

↑ Please use the official PANTONE® (P) matching
system for an accurate color representation.

Marketing approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

Regulatory approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older and weighing at least 5 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

flupyrifluoride.....	9.8%
(S)-methoprene.....	8.8%
INERT INGREDIENTS.....	81.4%
TOTAL.....	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 5 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet. Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

- **OPEN** Applicator
- Hold upright with foil side toward you and snap applicator tip.
- **APPLY** FRONTLINE Plus
- Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 5 lbs or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 5 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use **ONLY** on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs **ONLY** 23-44 lbs., large dogs **ONLY** 45-88 lbs., and extra-large dogs **ONLY** 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this medicine. When such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd., Duluth, GA 30006-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906830	VERSION:	COLORS:
PRODUCT: FRT PLUS NOTICE SINGLE CHIEFS S VERSO	INITIALS: LYON SJ AJ NSE VERSION - DATE: A 17/07/13 16h20 B 22/07/13 14h29 C 08/08/13 COMPOSER RH 11h00	Black/Noir
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 053 906007	Please use the official PANTONE® (P) matching system for an accurate color representation.
Dimensions: mm = 176 x 112 - Pliée 88 x 112 Inches =		

Marketing approval:

COMPLETE NAME:
DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:
DATE + SIGNATURE:



How to Apply
FRONTLINE®
Plus FOR DOGS

Step 1. **OPEN** Applicator

Hold upright with foil side toward you
and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?

**Call: 1-800-660-1842,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com**



Technical area :
No print except prod. barcode

053 906831

FRONTLINE[®]

Kills fleas, flea eggs & larvae,
ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:

Fipronil:	9.8%
(S)-methoprene:	8.8%
INERT INGREDIENTS:	81.4%
TOTAL:	100%

NET CONTENTS: 1-0.045 fl oz (1.34 mL) applicator

Plus

FOR DOGS

**Kills fleas, flea eggs & larvae,
ticks & chewing lice**

- Fast-acting
- Long-lasting
- Waterproof

ACTIVE INGREDIENTS:
Fipronil:9.8%
(S)-methoprene:8.8%
INERT INGREDIENTS:81.4%
TOTAL:100%
NET CONTENTS: 1-0.045 fl oz (1.34 mL) applicator
1 monthly dose

Kills ticks, including those that may transmit Lyme disease

For use **ONLY**
on **DOGS**
23 to 44 lbs

**See inside panels for FIRST AID
and PRECAUTIONARY
statements.**

EPA Reg. No. 65331-5
EPA Est. 65331-FR-2
MADE IN FRANCE



KEEP OUT OF REACH OF CHILDREN
CAUTION

**DO NOT
USE ON
CATS**

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053906831

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS M
RECTO

COUNTRY: United States of America (USA)

Dimensions:
mm = 176 x 112 - Plée 88 x 112
Inches =

VERSION

INITIALS:

VERSION - DATE:
A 17/07/13 16h42 B 22/07/13 14h23
C 08/08/13 COMPOSER RH 11h00

CANCEL AND
REPLACE: 053 906008

COLORS

Black/Noir
Magenta

† Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Regulatory approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older and weighing at least 23 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil	9.8%
(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations
- FRONTLINE Plus is approved for use on all dogs, including:**

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 23 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet.

Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.**

To kill fleas, flea eggs & larvae, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

• OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

• APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 23 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 23 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use **ONLY** on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs **ONLY** 23-44 lbs., large dogs **ONLY** 45-88 lbs., and extra-large dogs **ONLY** 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd, Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906831	VERSION:	COLORS:
PRODUCT: FRT PLUS NOTICE SINGLE CHENS H VERSO	INITIALS: SJ AJ NSe VERSION - DATE: A 17/07/13 16h42 B 22/07/13 14h23 C 08/08/13 COMPOSER RH 11h00	Black/Noir
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 053 906008	Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

COMPLETE
NAME:




























DATE +
SIGNATURE:

Regulatory approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

8/11

Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 
 Signature: 



How to Apply FRONTLINE[®] Plus[®] FOR DOGS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE PLUS

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month.

Questions or Comments?

Call: 1-800-660-1842,
 Monday-Friday, 8am-8pm EST or
 visit us at www.FRONTLINE.com



* 3 9 0 6 8 3 2 *

Technical area:
 No print except prod. barcode

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832	VERSION: S3 AJ NSe	COLORS: Black/Noir, Cyan, Magenta
PRODUCT: FRT PLUS NOTICE SINGLE CHIENS L RECTO	INITIALS: VERSION - DATE: A 17/07/13 16h58 B 22/07/13 14h35 C 08/08/13 COMPOSER RH 11h00	
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 053 906009	
Dimensions: mm = 176 x 112 - Pliée 88 x 112 Inches =		

Please use the official PANTONE® (P) matching system for an accurate color representation.

FRONTLINE[®] Plus[®] FOR DOGS

Kills fleas, flea eggs & larvae,
 ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof


ACTIVE INGREDIENTS:
 Fipronil: 9.8%
 (S)-methoprene: 8.8%
 INERT INGREDIENTS: 81.4%
 TOTAL: 100%
 NET CONTENTS: 1-0.091 fl oz (2.68 mL) applicator
 1 monthly dose

Kills ticks, including those that may
 transmit Lyme disease

For use ONLY
 on DOGS
45 to 88 lbs

EPA Reg. No. 65331-5
 EPA Est. 65331-FR-2
 MADE IN FRANCE

See inside panels for FIRST AID
 and PRECAUTIONARY
 statements.



KEEP OUT OF REACH OF CHILDREN
 CAUTION

DO NOT
 USE ON
 CATS

Marketing approval:

COMPLETE NAME:
 DATE + SIGNATURE:

Regulatory approval:

COMPLETE NAME:
 DATE + SIGNATURE:

9/11

FRONTLINE® Plus FOR DOGS

For use ONLY on DOGS & PUPPIES 8 weeks or older and weighing at least 45 lbs.: Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS

fipronil	9.8%
(S)-methoprene	8.8%
INERT INGREDIENTS	81.4%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartonellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 45 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet. Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

• OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

• APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 45 lbs. or younger than 8 weeks of age. Do not use more than one application per dog per month. FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages

for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinfestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases.

FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS. CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 45 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use ONLY on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs ONLY 23-44 lbs., large dogs ONLY 45-88 lbs., and extra-large dogs ONLY 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this product. When such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30006-4640, USA

©FRONTLINE is a registered trademark of Merial. ©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 053 906832	VERSION	COLORS
PRODUCT: FRT PLUS NOTICE SINGLE CHENS L VERSO	INITIALS: S/ JAI NSE	Black/Noir
COUNTRY: United States of America (USA)	VERSION - DATE: A 17/07/13 16h58 B 22/07/13 14h35 C 08/08/13 COMPOSER RH 11h00	
Dimensions: mm = 176 x 112 - Plée 88 x 112 Inches =	CANCEL AND REPLACE: 053 906009	Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

Regulatory approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

10/11

Signature autorisée de Merial
Merial 40078
01 rue de la République
63234 L'ÉTOILE 06 11 11 11
Merial 40078
Date 12/14/2013 09:58:09
net 10



How to Apply **FRONTLINE[®]** *Plus* FOR DOGS

Step 1.

OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

Step 2.

APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

Questions or Comments?

Call: **1-800-660-1842**,
Monday-Friday, 8am-8pm EST or
visit us at www.FRONTLINE.com



Technical area :
No print except prod. barcode

053 906833

FRONTLINE[®]

Plus

FOR DOGS

Kills fleas, flea eggs & larvae,
ticks & chewing lice

- Fast-acting
- Long-lasting
- Waterproof


ACTIVE INGREDIENTS:
Fipronil: 9.8%
S-methoprene: 8.8%
INERT INGREDIENTS: 81.4%
TOTAL: 100%
NET CONTENTS: 1-0.136 fl oz (4.02 mL) applicator
1 monthly dose

Kills ticks, including those that may
transmit Lyme disease

For use **ONLY**
on **DOGS**
89 to 132 lbs

See inside panels for **FIRST AID**
and **PRECAUTIONARY**
statements.

EPA Reg. No. 65331-5
EPA Est. 65331-FR-2
MADE IN FRANCE



MERIAL GRAPHIC ARTWORK APPROVAL

Code: **053 906833**

PRODUCT: FRT PLUS
NOTICE SINGLE CHIENS XL
RECTO

COUNTRY: United States of America (USA)

Dimensions:
mm = 176 x 112 - Pliée 88 x 112
Inches =

VERSION

INITIALS:

SJ AJ NSe

VERSION - DATE:

A 17/07/13 17h11 B 22/07/13 15h01

C 08/08/13 COMPOSER RH 11N00

CANCEL AND

REPLACE: 053 906010

COLORS

Black/Noir

Cyan

Magenta

↑ Please use the official PANTONE® (P) matching
system for an accurate color representation.

Marketing approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

Regulatory approval:

COMPLETE
NAME:

DATE +
SIGNATURE:

FRONTLINE® Plus FOR DOGS

For use **ONLY** on **DOGS & PUPPIES** 8 weeks or older and weighing at least 89 lbs. Fast-acting, long-lasting, waterproof treatment and control of fleas, flea eggs & larvae, ticks, chewing lice, and sarcoptic mites.

ACTIVE INGREDIENTS	
fluralaner	9.8%
(S)-methoprene	8.8%
INERT INGREDIENTS	
	81.4%
TOTAL	100.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FRONTLINE® Plus for Dogs:

Fleas

- Kills fleas, flea eggs and flea larvae
- Prevents all flea stages (eggs, larvae, pupae) from developing
- Stops existing infestations and prevents establishment of new infestations
- Kills fleas which may cause flea allergy dermatitis

Ticks

- Kills all life stages of ticks (larva, nymph and adult), including brown dog ticks (*Rhipicephalus sanguineus*), American dog ticks (*Dermacentor variabilis*), lone star ticks (*Amblyomma americanum*) and deer ticks (*Ixodes scapularis*)
- Kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, haemobartannellosis, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases

Lice

- Rapidly eliminates chewing lice infestations

Mites

- Aids in control of sarcoptic mange infestations

FRONTLINE Plus is approved for use on all dogs, including:

- Breeding, pregnant, and lactating bitches
- Puppies as young as 8 weeks and weighing at least 89 lbs.

One spot application is all that's needed: FRONTLINE Plus spreads from the single point of application, rapidly covering the entire dog and localizing in the hair, on the surface of the skin and in the sebaceous glands. These glands act as a reservoir, continuously replenishing FRONTLINE Plus onto the skin and hair coat, so it keeps working even if the dog gets wet. Fleas, ticks and chewing lice are killed quickly after coming into contact with a treated dog. Fleas and ticks do not need to bite the dog in order to die.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not allow children to apply product. **TO PREVENT HARM TO YOU AND YOUR PET, READ ENTIRE LABEL AND DIRECTIONS BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS.** To kill fleas, flea eggs & larva, ticks, and chewing lice apply FRONTLINE Plus for Dogs as follows:

• OPEN Applicator

Hold upright with foil side toward you and snap applicator tip.

• APPLY FRONTLINE Plus

Part the dog's hair between the shoulder blades. Place the applicator tip just above the skin and squeeze. Apply entire contents of the applicator in a single spot directly onto the dog's skin. Do not apply on top of the hair coat. Avoid contact with treated area until dry. Do not allow your dog to ingest the product. Do not apply to dogs weighing less than 89 lbs. or younger than 8 weeks of age. Do not use two applicators for dogs weighing more than 132 lbs. Do not use more than one application per dog per month.

FRONTLINE Plus is approved for use on all dogs, including breeding, pregnant, and lactating bitches and puppies as young as 8 weeks.

FRONTLINE Plus remains effective even after bathing, water immersion, or exposure to sunlight.

FREQUENCY OF APPLICATION

When used monthly, FRONTLINE Plus completely breaks the flea life cycle and controls tick and chewing lice infestations. Do not reapply FRONTLINE Plus for 30 days.

FRONTLINE Plus kills adult fleas, flea eggs, and

flea larvae for up to three months. FRONTLINE Plus also prevents development of all flea stages for up to three months. FRONTLINE Plus can control fleas for up to three months, however, if there is a high risk of reinestation or if the pet has fleas which may cause flea allergy dermatitis, a once monthly application may be needed.

FRONTLINE Plus kills ticks for at least one month. A once monthly application is recommended where tick control is needed. FRONTLINE Plus kills all life stages of ticks (larva, nymph and adult). FRONTLINE Plus kills ticks that may transmit Lyme disease, Rocky Mountain Spotted Fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. FRONTLINE Plus kills chewing lice for at least one month. A once monthly application is recommended where chewing lice control is needed.

FRONTLINE Plus aids in the control of sarcoptic mange infestations. Multiple monthly treatments are recommended for the elimination of mites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE. Store unused product in original container, out of reach of children and animals.

PESTICIDE DISPOSAL. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL. If empty: Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS; CAUTION.

Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

HAZARDS TO DOMESTIC ANIMALS.

For external use only. Do not use on puppies under 8 weeks of age and 89 lbs. Individual sensitivities, while rare, may occur after using any pesticide product.

SIDE EFFECTS: Pets may experience some temporary irritation at the site of application. If signs persist or become more severe within a few days of application, consult a veterinarian immediately.

If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged animals. Call 1-800-660-1842, Monday-Friday, 8am-8pm EST.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE: Do not use or store near heat or open flame.

HOW SUPPLIED

For easy and convenient treatment, FRONTLINE Plus for Dogs is available in sizes for use **ONLY** on small dogs and puppies 8 weeks or older and 5-22 lbs., medium dogs **ONLY** 23-44 lbs., large dogs **ONLY** 45-88 lbs., and extra-large dogs **ONLY** 89-132 lbs.

WARRANTY

To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and handling of this material when such use and handling are contrary to label instructions.

Merial Limited

3239 Satellite Blvd. Duluth, GA 30096-4640, USA
©FRONTLINE is a registered trademark of Merial.
©2013 Merial Limited, Duluth, GA. All rights reserved.

MERIAL GRAPHIC ARTWORK APPROVAL

Code: 0531906833	VERSION	COLORS
PRODUCT: FRT PLUS NOTICE SINGLE CHIENS XL VERSO	INITIALS: SJ AJ NSE VERSION - DATE: A 17/07/13 17h11 B 22/07/13 15h01 C 08/08/13 COMPOSER RH 11h00	Black/Noir
COUNTRY: United States of America (USA)	CANCEL AND REPLACE: 053 906010	Please use the official PANTONE® (P) matching system for an accurate color representation.

Marketing approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**

Regulatory approval:

**COMPLETE
NAME:**

**DATE +
SIGNATURE:**